


SHADE VARIATION

Ceramic tiles by Villeroy & Boch are natural-looking products with a wide variety of colours and textures. Thanks to innovative manufacturing methods, today ceramic tiles offer a range of variations that are otherwise known only among natural materials, such as stone, earth and wood.


This variety is a particular design hallmark of the individual tiles and ranges. As with natural products the colour and structure can vary considerably. This natural variation in design is appreciated as such and should be taken into account when selecting a tile range.

To achieve the best possible effect of the surface in a room, the tiles should be laid out in advance.

We have four groups with different variation intensity, which influences the overall effect of the layout.

1  - low

Almost identical appearance of the tiles with minor to barely perceptible deviations in colour and structure for a uniform effect.

2  - medium

Minor variations in colour and structure for a restful, natural effect.

3  - high

Greater variations in colour and structure for a lively natural effect.

4  - strong

Strong variations in colour and structure for a colourful and/or structurally intense and varied effect.

COLOUR CODES IN ACCORDANCE WITH RAL AND NCS

To enable detailed planning by architects and designers, we have allocated standardised codes to the colours of selected ranges.

Codes for the RAL CLASSIC (4-digit) and RAL DESIGN (7-digit) colour lines are used in addition to codes for the NCS system. The allocations are to be found in the table next to the respective Villeroy & Boch colour codes.

In the case of monochrome tiles, the colour designations indicate the comparable or closely related colour code. The information for structured, coloured tiles relate to the overall impression of the tile covering. As a general principle, it is to be noted that the stated RAL or NCS colours for these ranges represent an average assessment.

LUMINOUS REFLECTANCE VALUE (LRV)

The luminous reflectance value indicates the percentage proportion of visible light reflected by a surface (depending on the nuances, the LRV value may vary slightly). The luminance contrast is determined by reference to the luminous reflectance values of different parts of a building (e.g. at landings, at transitions between different surfaces, etc.). The luminance contrast is the difference between the brightness of an object and its background or surrounding. In accessible and inclusive construction, the contrasts are mandatory for stairs, doors, furnishings, obstacles, etc.

The values for luminous reflectance and lightness are laboratory values. Fluctuations in colour brightness and reflection are possible for production reasons. V & B Fliesen GmbH assumes no liability for the information provided here. To implement the requirements of DIN 18040-1, we recommend measurements under actual lighting conditions at the installation location.

COLOUR CODES

ATLANTA

Colour code		NCS	RAL	LRV
AL00	2	NCS S 0500-N	000 90 00	75,6
AL10 (SG)	2	NCS S 0502-R	100 90 05	70,7
AL10 (FSZ)	2	NCS S 2005-Y90R	000 80 00	47,0
AL40	2	NCS S 1500-N	000 75 00	43,1
AL60	2	NCS S 3500-N	000 65 00	28,6
AL70	2	NCS S 2005-Y80R	060 70 05	33,1
AL80	3	NCS S 6005-Y50R	080 50 05	15,9
AL90	3	NCS S 4500-N	000 55 00	14,9

BOURGOGNA

Colour code		NCS	RAL	LRV
DM20	3	NCS S 3005-Y50R	060 70 05	40,8
DM60	3	NCS S 2502-R	100 70 05	40,4
DM70	3	NCS S 4005-Y50R	060 60 05	36,8
DM90	3	NCS S 5502-R	000 45 00	18,7

CAVIRA

Colour code		NCS	RAL	LRV
WN20	2	NCS S 1005-Y50R	090 90 05	62,0
WN60	2	NCS S 1500-N	000 85 00	63,0
WP20	2	NCS S 1002-Y50R	090 90 05	54,0
WP21	2	NCS S 3020-Y20R	070 70 20	
WP10	2	NCS 0500-N	9010	57,0
WP41	2	NCS S 6020-R90B	250 40 10	
WU70 (SG)	2	NCS S 1502-R	100 80 05	57,0
WU60 (SG)	2	NCS S 1500-N	000 85 00	62,0
WU65	2	NCS S 2502-R	100 70 05	
WU70 (FSZ)	2	NCS S 3005-R80B	100 70 05	38,0
WU60 (FSZ)	2	NCS S 3000-N	000 75 00	41,0

CHATEAU EDITION ONE

Colour code		NCS	RAL	LRV
CA10	3	NCS S 4010-Y30R	070 70 10	30,7
CA30	3	NCS S 5020-Y50R	050 50 20	19,0

CODE 2

Colour code		NCS	RAL	LRV
SN70	3	NCS S 6005-Y80R	060 50 05	23,1
SN71	3	NCS S 3005-Y80R	040 70 05	24,2
SN72	3	NCS S 4005-Y80R	040 60 05	18,3

DAYTONA

Colour code		NCS	RAL	LRV
BP20	2	NCS S 1002-Y50R	080 70 10	40,9
BP70	2	NCS S 3005-Y50R	060 70 05	34,9
BP60	2	NCS S 3500-N	000 65 00	32,4
BP90	2	NCS S 7500-N	000 35 00	8,3

ÉDITION C

Colour code		NCS	RAL	LRV
EF00		NCS S 0300N	9003	79,5
EF01		NCS S 0300N	9003	82,5
EF10		NCS S 0603-Y40R	9001	76,3
EF11		NCS S 0603-Y40R	9001	77,9
EF20		NCS S 3010-Y60R	060 70 10	34,9
EF21		NCS S 3010-Y60R	060 70 10	31,5
EF50		NCS S 2005-G20Y	180 80 05	52,0
EF51		NCS S 2005-G20Y	180 80 05	55,0
EF62		NCS S 3502B	000 70 00	37,4
EF63		NCS S 3502B	000 70 00	34,8
EF64		NCS S 6005-R80B	240 40 05	12,5
EF65		NCS S 6005-R80B	240 40 05	9,9
EF70		NCS S 4005-Y50R	060 60 05	28,3
EF71		NCS S 4005-Y50R	060 60 05	25,5
EF90		NCS S 9000N	9004	1,6
EF91		NCS S 9000N	9004	0,5

HUDSON

Colour code		NCS	RAL	LRV
SD1L	2	NCS S 1502-Y50R	000 85 00	51,6
SD1B	2	NCS S 1502-Y50R	000 85 00	57,6
SD1M	2	NCS S 1502-Y50R	000 85 00	57,0
SD1R	2	NCS S 1502-Y50R	000 85 00	56,6
SD2L	2	NCS S 2005-Y50R	075 80 10	46,3
SD2B	2	NCS S 2005-Y50R	075 80 10	45,6
SD2M	2	NCS S 2005-Y50R	075 80 10	44,8
SD2R	2	NCS S 2005-Y50R	075 80 10	45,0
SD5L	2	NCS S 3000-N	000 80 00	38,5
SD5B	2	NCS S 3000-N	000 80 00	40,5
SD5M	2	NCS S 3000-N	000 80 00	35,9
SD5R	2	NCS S 3000-N	000 80 00	37,5
SD6L	2	NCS S 4000-N	000 60 00	27,9
SD6B	2	NCS S 4000-N	000 60 00	28,0
SD6M	2	NCS S 4000-N	000 60 00	27,5
SD6R	2	NCS S 4000-N	000 60 00	27,7
SD7L	2	NCS S 4005-Y50R	060 60 05	31,8
SD7B	2	NCS S 4005-Y50R	060 60 05	30,3
SD7M	2	NCS S 4005-Y50R	060 60 05	28,1
SD7R	2	NCS S 4005-Y50R	060 60 05	29,5
SD8L	2	NCS S 7500-N	7024	7,5
SD8B	2	NCS S 7500-N	7024	7,7
SD8M	2	NCS S 7500-N	7024	8,0
SD8R	2	NCS S 7500-N	7024	7,0
SD9L	2	NCS S 6502-R	000 45 00	13,8
SD9B	2	NCS S 6502-R	000 45 00	14,5
SD9M	2	NCS S 6502-R	000 45 00	12,6
SD9R	2	NCS S 6502-R	000 45 00	12,1

LUCCA

Colour code		NCS	RAL	LRV
LS06	3	NCS S 2502-R	060 70 05	41,9
LS60	3	NCS S 4502-R	080 60 05	21,9

MARBLE ARCH

Colour code		NCS	RAL	LRV
MA00 / MA01	2	NCS S 0505-R50B	000 90 00	-
MA20 / MA21	2	NCS S 0505-R50B	000 90 00	31,0
MA0P	2	NCS S 0505-R50B	000 90 00	62,5
MA2P	2	NCS S 0505-R50B	000 90 00	62,0

MELLOW STONE

Colour code		NCS	RAL	LRV
ES10	2	NCS S 1505-Y30R	080 80 10	58,0
ES20	2	NCS S 2005-Y40R	075 80 10	49,4
ES60	2	NCS S 3502-R	060 60 05	37,9
ES90	2	NCS S 7502-R	000 30 00	9,4

MONTAGNE

Colour code		NCS	RAL	LRV
RC10	3	NCS S 1502-Y	100 80 05	52,7
RC20	3	NCS S 3005-Y20R	080 70 10	36,1
RC70	3	NCS S 2002-Y50R	060 70 05	36,2
RC60	3	NCS S 5005-Y80R	060 50 05	18,3
RC90	3	NCS S 7500-N	000 35 00	9,9

MERIDA

Colour code		NCS	RAL	LRV
AJ10 (SG)	2	NCS S 1002-Y50R	00 90 05	54,8
AJ60 (SG)	2	NCS S 2002-Y50R	000 80 00	57,7
AJ10 (FSZ)	3	NCS S 2005-Y20R	080 80 05	51,3
AJ20	3	NCS S 2005-Y40R	080 80 10	46,3
AJ60	3	NCS S 4502-Y	080 60 05	29,3
AJ90	3	NCS S 7500-N	000 35 00	8,6

COLOUR CODES

METALCRAFT

Colour code		NCS	RAL	LRV
MC10 (SG)	3	NCS S 1002-Y50R	090 90 05	57,9
MC21 (SG)	3	NCS S 3020-Y20R	070 70 20	37,1
MC31 (SG)	3	NCS S 4010-Y50R	060 60 10	23,8
MC41 (SG)	3	NCS S 3020-B30G	200 60 15	30,0
MC10	3	NCS S 2005-Y20R	095 80 10	46,9
MC60	3	NCS S 5005-R50B	280 50 05	16,5
MC80	3	NCS S 7010-Y70R	020 40 05	10,2
MC90	3	NCS S 7502-R	300 30 05	7,5

OAK FLAIR

Colour code		NCS	RAL	LRV
EW00	2	NCS S 3010-Y30R	070 70 20	30,0
EW10	2	NCS S 4010-Y50R	060 60 10	23,4
EW30	2	NCS S 4020-Y30R	060 60 20	27,9
EW20	2	NCS S 5010-Y50R	050 50 10	17,7
EW80	2	NCS S 7010-Y50R	050 40 10	10,5

OHIO

Colour code		NCS	RAL	LRV
CJ10 (SG)	2	NCS 1005-Y40R	090 90 05	53,6
CJ60 (SG)	2	NCS S 1000-N	000 90 00	51,6
CJ10 (FSZ)	2	NCS S 1505-Y20R	100 90 05	
CJ20	2	NCS S 2005-Y50R	060 70 10	32,2
CJ60 (FSZ)	2	NCS S 1500-N	000 85 00	
CJ61	2	NCS S 3000-N	000 60 00	31,1
CJ62	2	NCS S 7000-N	000 35 00	10,3

PRO ARCHITECTURA 3.0

Colour code		NCS	RAL	LRV
C000		NCS S 0500-N	9003	77,9
C010		NCS S 1002-Y	090 85 05	76,7
C011		NCS S 1005-Y10R	090 85 10	74,1
C032		NCS S 1010-R	040 85 05	65,3
C034		NCS S 2020-R20B	360 70 15	39,5
C041		NCS S 1510-B	240 80 05	66,0
C053		NCS S 1010-G	170 85 10	68,5
C060		NCS S 2500-N	000 75 00	52,8
C061		NCS S 5000-N	000 60 00	26,7
C070		NCS S 3005-Y50R	060 70 05	42,4
C071		NCS S 5005-Y50R	040 60 05	27,5
C072		NCS S 7005-R20B	320 40 05	13,4
C090		NCS S 7500-N	000 35 00	8,1
C091		NCS S 9000-N	000 15 00	2,7
C100		NCS S 0500-N	9003	81,2
C110		NCS S 1002-Y	090 85 05	80,8
C111		NCS S 1005-Y10R	090 85 10	75,0
C122		NCS S 1060-Y	090 80 60	60,6
C125		NCS S 1070-Y60R	050 60 60	34,3
C127		NCS S 2010-Y40R	070 70 20	43,1
C130		NCS S 1580-Y90R	030 40 60	10,7
C132		NCS S 1010-R	040 85 05	66,0
C134		NCS S 2020-R20B	360 70 15	38,6
C138		NCS S 8005-R20B	340 20 05	2,4
C139		NCS S 5040-R	020 30 30	6,8
C141		NCS S 1510-B	240 80 05	63,7
C145		NCS S 5045-B10G	220 30 25	6,5
C149		NCS S 4550-R70B	290 20 35	4,0
C150		NCS S 4040-G	160 50 30	16,7
C152		NCS S 2050-G30Y	120 70 40	43,2
C153		NCS S 1010-G	170 85 10	70,8
C154		NCS S 3030-B30G	200 60 20	28,4
C160		NCS S 2500-N	000 75 00	51,8
C161		NCS S 5000-N	000 60 00	24,9
C170		NCS S 3005-Y50R	060 70 05	41,1
C171		NCS S 5005-Y50R	040 60 05	23,6
C172		NCS S 7005-R20B	320 40 05	11,9

PRO ARCHITECTURA 3.0

Colour code		NCS	RAL	LRV
C190		NCS S 7500-N	000 35 00	5,8
C191		NCS S 9000-N	000 15 00	0,4
C211		NCS S 1005-Y10R	090 85 10	65,0
C221		NCS S 1010-Y	095 85 20	61,7
C227		NCS S 2010-Y40R	070 70 20	42,1
C240		NCS S 4040-R80B	270 40 30	7,1
C244		NCS S 1030-R80B	260 70 20	34,8
C245		NCS S 5045-B10G	220 30 25	6,5
C255		NCS S 2030-B50G	190 70 20	37,0
C260		NCS S 2500-N	000 75 00	47,6
C261		NCS S 5000-N	000 60 00	24,3
C264		NCS S 4010-R70B	270 60 10	26,7
C265		NCS S 3005-B80G	180 70 05	40,1
C266		NCS S 7005-R80B	280 40 10	13,2
C270		NCS S 3005-Y50R	060 70 05	34,2
C271		NCS S 5005-Y50R	040 60 05	18,0
C272		NCS S 7005-R20B	320 40 05	11,8
C281		NCS S 5020-Y80R	040 50 20	12,4
C290		NCS S 7500-N	000 35 00	12,5
C291		NCS S 9000-N	000 15 00	3,4
C300		NCS S 0500-N	9003	71,2
C310		NCS S 1002-Y	090 85 05	75,8
C311		NCS S 1005-Y10R	090 85 10	66,0
C320		NCS S 1070-Y10R	080 70 70	41,6
C321		NCS S 1010-Y	095 85 20	71,5
C322		NCS S 1060-Y	090 80 60	57,3
C325		NCS S 1070-Y60R	050 60 60	27,7
C327		NCS S 2010-Y40R	070 70 20	45,6
C330		NCS S 1580-Y90R	030 40 60	10,1
C331		NCS S 1010-R40B	320 85 05	53,1
C332		NCS S 1010-R	040 85 05	64,6
C333		NCS S 2020-Y60R	050 70 20	41,0
C334		NCS S 2020-R20B	360 70 15	33,1
C335		NCS S 3040-Y90R	030 50 30	19,9
C338		NCS S 8005-R20B	340 20 05	3,1
C339		NCS S 5040-R	020 30 30	5,1
C340		NCS S 4040-R80B	270 40 30	9,3
C341		NCS S 1510-B	240 80 05	60,3
C342		NCS S 2040-B	230 60 25	29,5
C344		NCS S 1030-R80B	260 70 20	43,3
C345		NCS S 5045-B10G	220 30 25	6,3
C349		NCS S 4550-R70B	290 20 35	3,1
C350		NCS S 4040-G	160 50 30	17,9
C351		NCS S 1020-G60Y	110 85 20	66,3
C352		NCS S 2050-G30Y	120 70 40	35,5
C353		NCS S 1010-G	170 85 10	61,8
C354		NCS S 3030-B30G	200 60 20	26,7
C355		NCS S 2030-B50G	190 70 20	37,7
C356		NCS S 1020-B70G	170 80 15	53,2
C357		NCS S 3020-G40Y	120 60 20	33,5
C358		NCS S 6530-G50Y	130 40 20	9,6
C360		NCS S 2500-N	000 75 00	47,4
C361		NCS S 5000-N	000 60 00	24,2
C362		NCS S 2005-G50Y	140 80 05	52,3
C363		NCS S 1502-R	300 85 05	55,2
C364		NCS S 4010-R70B	270 60 10	29,4
C365		NCS S 3005-B80G	180 70 05	37,4
C366		NCS S 7005-R80B	280 40 10	8,7
C370		NCS S 3005-Y50R	060 70 05	40,6
C371		NCS S 5005-Y50R	040 60 05	20,3
C372		NCS S 7005-R20B	320 40 05	10,3
C380		NCS S 6030-Y70R	040 30 30	5,7
C381		NCS S 5020-Y80R	040 50 20	14,3
C390		NCS S 7500-N	000 35 00	9,3
C391		NCS S 9000-N	000 15 00	1,5
C411		NCS S 1005-Y10R	090 85 10	64,3
C460		NCS S 2500-N	000 75 00	47,4
C461		NCS S 5000-N	000 60 00	24,4

COLOUR CODES

PRO ARCHITECTURA 3.0

Colour code	NCS	RAL	LRV
C464	NCS S 4010-R70B	270 60 10	26,2
C465	NCS S 3005-B80G	180 70 05	40,2
C466	NCS S 7005-R80B	280 40 10	12,9
C471	NCS S 5005-Y50R	040 60 05	19,1
C472	NCS S 7005-R20B	320 40 05	11,9
C490	NCS S 7500-N	000 35 00	15,3
C491	NCS S 9000-N	000 15 00	4,3

PROJECT

Colour code	NCS	RAL	LRV
PJ00	NCS S 0502-Y	090 90 05	60,0
PJ90	NCS S 8000-N	000 25 00	6,0

PURE BASE

Colour code	NCS	RAL	LRV
BT01	1 1 1 1 NCS S 1000-N	000 90 00	75,0
BT21	1 1 1 1 NCS S 1002-Y50R	090 90 05	70,3
BZ06	2 2 2 2 NCS S 3000-N	000 70 00	35,7
BZ10	2 2 2 2 NCS S 2005-Y50R	060 70 10	40,4
BZ40	2 2 2 2 NCS S 4000-N	000 60 00	27,9
BZ60	2 2 2 2 NCS S 5500-N	000 45 00	16,7
BZ70	2 2 2 2 NCS S 3005-Y50R	060 70 05	34,8

PURE LINE 2.0

Colour code	NCS	RAL	LRV
UL10	1 1 1 1 NCS S 2005-Y30R	085 80 05	53,6
UL60	1 1 1 1 NCS S 3000-N	000 70 00	37,1
UL61	1 1 1 1 NCS S 4502-Y	000 65 00	23,3
UL62	1 1 1 1 NCS S 7000-N	000 40 00	10,0
UL70	1 1 1 1 NCS 3005-Y50R	060 70 10	37,4
UL72	1 1 1 1 NCS S 5005-Y50R	080 60 05	21,1
UL80	1 1 1 1 NCS S 7005-Y80R	040 30 05	9,5
UL90	1 1 1 1 NCS S 8000-N	000 30 00	6,8

RUSTIC BLEND

Colour code	NCS	RAL	LRV
RS20	3 3 3 3 NCS S 2005-Y50R	060 70 10	43,9
RS60	3 3 3 3 NCS S 3005-Y50R	060 70 05	40,3
RS61	3 3 3 3 NCS S 5000-N	000 60 00	26,1

SILENT MOOD

Colour code	NCS	RAL	LRV
CG10	2 2 2 2 NCS S 1002-Y50R	090 90 05	65,2
CG30	2 2 2 2 NCS S 1005-R10B	060 90 05	60,7
CG50	2 2 2 2 NCS S 2005-B80G	160 70 05	44,0
CG60	2 2 2 2 NCS S 1000-N	000 90 00	66,1

STRONG TONES

Colour code	NCS	RAL	LRV
KS00	2 2 2 2 NCS S 1002-Y	110 90 05	61,0
KS10	2 2 2 2 NCS S 2005-Y50R	080 80 05	45,0
KS70	2 2 2 2 NCS S 3005-Y50R	060 70 05	38,0
KS60	2 2 2 2 NCS S 3000-N	000 75 00	42,0
KS61	2 2 2 2 NCS S 5500-N	000 55 00	27,0
KS62	2 2 2 2 NCS S 7000-N	000 40 00	14,0
KM00	2 2 2 2 NCS S 1002-Y	110 90 05	61,0
KM10	2 2 2 2 NCS S 2005-Y50R	080 80 05	44,0
KM70	2 2 2 2 NCS S 3005-Y50R	060 70 05	37,0
KM60	2 2 2 2 NCS S 3000-N	000 75 00	44,0
KM61	2 2 2 2 NCS S 5500-N	000 55 00	24,0
KM62	2 2 2 2 NCS S 7000-N	000 40 00	11,0

SOLID TONES

Colour code	NCS	RAL	LRV
PC00	2 2 2 2 NCS S 1002-Y	110 90 05	52,8
PC10	2 2 2 2 NCS S 2005-Y50R	080 80 05	46,9
PC60	2 2 2 2 NCS S 3000-N	000 75 00	34,2
PC61	2 2 2 2 NCS S 5500-N	000 55 00	19,8
PC62	2 2 2 2 NCS S 7000-N	000 40 00	12,5
PC70	2 2 2 2 NCS S 3005-Y50R	060 70 05	36,6
PS00	2 2 2 2 NCS S 1002-Y	110 90 05	51,4
PS10	2 2 2 2 NCS S 2005-Y50R	080 80 05	45,3
PS60	2 2 2 2 NCS S 3000-N	000 75 00	33,8
PS61	2 2 2 2 NCS S 5500-N	000 55 00	17,8
PS62	3 3 3 3 NCS S 7000-N	000 40 00	11,1
PS70	3 3 3 3 NCS S 3005-Y50R	060 70 05	37,2
PG00	2 2 2 2 NCS S 1002-Y	110 90 05	52,5
PG10	2 2 2 2 NCS S 2005-Y50R	080 80 05	42,7
PG70	2 2 2 2 NCS S 3005-Y50R	060 70 05	35,7
PG60	2 2 2 2 NCS S 3000-N	000 75 00	33,9
PG61	2 2 2 2 NCS S 5500-N	000 55 00	20,8
PG62	2 2 2 2 NCS S 7000-N	000 40 00	11,4
PW00 (SG)	2 2 2 2 NCS S 1002-Y50R	075 92 05	72,0
PW20 (SG)	2 2 2 2 NCS S 1505-Y30R	075 80 10	62,1
PW61 (SG)	2 2 2 2 NCS S 2502-R	100 80 05	44,6
PW62 (SG)	2 2 2 2 NCS S 3500-N	000 65 00	29,2

SPOTLIGHT

Colour code	NCS	RAL	LRV
CM00	2 2 2 2 NCS S 1002-R	000 90 00	75,4
CM60	2 2 2 2 NCS S 0603-R80B	270 90 05	74,9
CM0L	2 2 2 2 NCS S 1002-R	000 85 00	65,4
CM0M	2 2 2 2 NCS S 1002-R	000 85 00	64,1
CM6L	2 2 2 2 NCS S 2005-N	000 70 00	35,0
CM6M	2 2 2 2 NCS S 2005-N	000 70 00	34,9
CM7L	2 2 2 2 NCS S 1502-R	000 80 00	51,2
CM7M	2 2 2 2 NCS S 1502-R	000 80 00	55,4
CM9L	2 2 2 2 NCS S 6000-N	000 45 00	7,6
CM9M	2 2 2 2 NCS S 6000-N	000 45 00	11,7

TRI.ART

Colour code	NCS	RAL	LRV
BS20 (SG)	2 2 2 2 NCS S 1510-Y30R	075 80 10	56,0
BS60 (SG)	2 2 2 2 NCS S 1500-N	000 90 00	56,9
BS70 (SG)	2 2 2 2 NCS S 2002-Y50R	100 80 05	50,3
BS20	2 2 2 2 NCS S 2010-Y40R	060 70 10	38,4
BS60	2 2 2 2 NCS S 3502-Y	100 70 05	43,7
BS70	2 2 2 2 NCS S 3005-Y50R	060 70 05	38,1

TUSCAN TRACES

Colour code	NCS	RAL	LRV
TR20 (SG)	3 3 3 3 NCS S 1005-Y20R	080 90 10	
TR60 (SG)	3 3 3 3 NCS S 1002-Y50R	090 90 05	
TR20	3 3 3 3 NCS S 2005-Y30R	080 80 10	
TR60	3 3 3 3 NCS S 2005-Y50R	095 80 10	
TR61	3 3 3 3 NCS S 2002-Y50R	080 80 05	

UNIT ONE

Colour code	NCS	RAL	LRV
UT01	NCS S 0907-R30B	000 90 00	72,2
UT02	NCS S 2005-R80B	000 75 00	42,3
UT03	NCS S 0603-Y80R	075 90 05	69,7
UT21	NCS S 0507-R20B	9010	72,2
UT22	NCS S 2005-R80B	000 75 00	40,8
UT41	NCS S 2005-Y70R	050 80 10	51,2
UT42	NCS S 4502-R	000 65 00	22,2

COLOUR CODES

UNIT TWO

Colour code		NCS	RAL	LRV
TW01		NCS S 0603-R60B	9010	76,2
TW02		NCS S 0603-R60B	9010	76,7
TW03		NCS S 0502-R	9001	78,8
TW04		NCS S 0502-R	9001	73,4

UNIT THREE

Colour code		NCS	RAL	LRV
GT10	1	NCS S 1505-Y30R	110 90 05	57,7
GK10	1	NCS S 1505-Y30R	110 90 05	58,0
GT20	1	NCS S 2005-Y50R	075 80 10	46,8
GK20	1	NCS S 2005-Y50R	075 80 10	45,1
GT30	1	NCS S 2502-Y	060 70 05	36,9
GK30	1	NCS S 2502-Y	060 70 05	35,6
GT50	1	NCS S 5502-R	260 50 05	15,0
GK50	1	NCS S 5502-R	260 50 05	14,7

UNIT FOUR

Colour code		NCS	RAL	LRV
CT10	2	NCS S 1505-Y50R	060 80 10	50,8
CT60	2	NCS S 2002-Y50R	100 70 05	38,2
CT61	2	NCS S 5005-Y20R	100 50 05	17,2
CT62	2	NCS S 6502-Y	000 45 00	12,1
CT70	2	NCS S 3010-Y40R	050 70 10	33,3
CT80	2	NCS S 6010-Y50R	040 40 10	11,4

UNIT FOUR WALL

Colour code		NCS	RAL	LRV
CT10	1	NCS S 0804-Y50R	090 90 05	64,8
CT60	1	NCS S 1002-R	000 85 00	63,2

UNIT FIVE

Colour code		NCS	RAL	LRV
FT10 (SG)	1	NCS S 0502-Y50R	075 92 05	74,3
FT70 (SG)	1	NCS S 1005-Y30R	090 90 10	66,1
FT06 (SG)	1	NCS S 1500-N	000 85 00	59,2
FT60 (SG)	1	NCS S 2500-N	000 75 00	48,3
FT11 (SG)	1	NCS S 1002-Y50R	075 92 05	73,0
FT71 (SG)	1	NCS S 1005-Y30R	090 90 10	68,2
FT16 (SG)	1	NCS S 1500-N	000 85 00	59,8
FT61 (SG)	1	NCS S 2500-N	000 75 00	50,9
FT10	2	NCS S 1002-Y50R	090 90 05	54,7
FT70	2	NCS S 1505-Y40R	075 80 10	53,1
FT72	2	NCS S 5005-Y50R	050 50 10	24,2
FT60	2	NCS S 2500-N	000 75 00	42,2
FT61	2	NCS S 3500-N	000 65 00	31,9
FT90	2	NCS S 8000-N	000 25 00	11,1

URBAN ART

Colour code		NCS	RAL	LRV
UA00	3	NCS S 1502-Y50R	090 90 05	
UA20	3	NCS S 2040-Y30R	060 60 40	
UA30	3	NCS S 5030-Y80R	040 30 30	
UA40	3	NCS S 6020-R80B	260 30 20	
UA50	3	NCS S 4020-G80Y	100 60 20	
UA70	3	NCS S 6005-Y50R	050 50 10	

URBAN JUNGLE

Colour code		NCS	RAL	LRV
TC00	2	NCS S 1000-N	000 90 00	
TC20	2	NCS S 1002-R	110 90 05	
TC10	2	NCS S 1502-R	000 80 00	42,8
TC60	2	NCS S 4502-R	000 60 00	26,4
TC70	2	NCS S 3005-Y50R	060 70 05	36,9
TC90	2	NCS S 5502-R	000 55 00	16,6

WHITE & CREAM

Colour code		NCS	RAL	LRV
SW00		NCS S 0500-N	9003	77,6
SW01		NCS S 0500-N	9003	81,5
SW10		NCS S 1002-Y50R	090 90 05	76,9
SW11		NCS S 1002-Y50R	090 90 05	77,7

WOOD SELECTION

Colour code		NCS	RAL	LRV
WL10	2	NCS S 2010-Y40R	060 70 20	34,3
WL20	2	NCS S 4010-Y30R	060 60 10	23,8
WL21	2	NCS S 3005-Y20R	070 70 10	33,9
WL22	2	NCS S 4020-Y30R	060 60 20	26,8
WL60	2	NCS S 5005-Y80R	060 60 05	25,7